

SECRET

288

(Security Classification)


25X1

ROUTING			
TO:	NAME AND ADDRESS	DATE	INITIALS
1			
2			
3			
4			
	ACTION	DIRECT REPLY	PREPARE REPLY
	APPROVAL	DISPATCH	RECOMMENDATION
	COMMENT	FILE	RETURN
	CONCURRENCE	INFORMATION	SIGNATURE
REMARKS:			
FROM: NAME, ADDRESS, AND PHONE NO.			DATE

CONTROL NO. Z-11368/82

NPIC/PEG (9/82)


COPY _____ OF _____

**Warning Notice**

Intelligence Sources or Methods Involved

NATIONAL SECURITY INFORMATION

Unauthorized Disclosure Subject to Criminal Sanctions

**SECRET**

(Security Classification)

Page Denied

Next 1 Page(s) In Document Denied

SECRET

25X1

(c) NATIONAL PHOTOGRAPHIC INTERPRETATION CENTERPage 1 of 1Attachment to Z-11368/82
NPIC/PEG (9/82)

Copy _____

**PROBABLE T-64 MEDIUM TANK VARIANT
KHARKOV TANK & LOCOMOTIVE R&D MALYSHEV 75, USSR**

25X1

1. (SWN) SIGNIFICANCE: THE PRESENCE OF A PROBABLE T-64 VARIANT IN THE PRODUCTION YARD/AREA AT KHARKOV, WHICH HAS A HISTORY OF T-64 DEVELOPMENT AND PRODUCTION, MAY INDICATE THAT THIS PLANT IS INVOLVED IN THE DEVELOPMENT OR PRODUCTION OF A PROBABLE T-64 VARIANT.
2. (SWN) REMARKS: A PROBABLE VARIANT OF THE T-64 MEDIUM TANK IS IDENTIFIED FOR THE FIRST TIME IN THE PRODUCTION AREA AT KHARKOV. ALTHOUGH THE TANK HAS MANY OF THE STANDARD MEASUREMENTS AND PHYSICAL IDENTIFICATION FEATURES OF A T-64 TANK, MANY FEATURES APPEAR TO BE SIGNIFICANTLY DIFFERENT.

(SWN) THE TANK'S MEASUREMENTS OF [REDACTED] ARE SIMILAR TO THE STANDARD T-64 MEASUREMENTS OF [REDACTED] THE DIFFERENCE IN THE WIDTH OF THE TANK SEEN TODAY AND THE STANDARD T-64 MAY BE DUE TO FENDER SKIRTING THAT IS ABSENT ON THE LEFT SIDE OF THE TANK AND PARTIALLY RAISED ON THE RIGHT SIDE GIVING THE TANK A WIDER APPEARANCE. OTHER SIGNIFICANT MEASUREMENTS ON THE TANK VARIANT INCLUDE A [REDACTED] DIAMETER TURRET, A [REDACTED] GUN TUBE, AND A [REDACTED] DISTANCE FROM THE REAR OF THE TURRET TO THE REAR END OF THE ENGINE DECK.

25X1

25X1

25X1

25X1

(SWN) MANY OF THE PHYSICAL FEATURES OF THE PROBABLE T-64 VARIANT ARE SIMILAR TO THOSE OF A STANDARD T-64 MEDIUM TANK, BUT SEVERAL SIGNIFICANT DIFFERENCES ARE APPARENT. THE DIFFERENCES INCLUDE A FORWARD SLOPING GLACIAL PLATE THAT ENDS FORWARD OF THE LEADING EDGE OF THE TURRET, A PROBABLE ENLARGED RANGE FINDER HOUSING ON THE LEFT FORWARD SECTION OF THE TURRET, AND THE ABSENCE OF A RIGHT MOUNTED OPTICAL RANGE FINDER/OPTICAL BAR DEVICE FORWARD OF THE RAISED REAR COMMANDERS CUPOLA.

(SWN) KHARKOV TANK & LOCOMOTIVE R&D MALYSHEV 75 IS IN THE CENTER OF THE CITY OF KHARKOV, IN THE KIEV MILITARY DISTRICT.

3. [REDACTED] COORDINATES 49-58-01N 036-16-51E

25X1

COMMENTS AND QUERIES REGARDING THIS BRIEFING BOARD MAY BE DIRECTED TO [REDACTED]

25X1

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue.

25X1

WARNING NOTICE
Intelligence Sources
and Methods Involved

SECRET

25X1